INDEX TO AUTHORS

ACKERMANN, W. WILBUR, and KURTZ, HILDA. The relation of herpes virus to host cell mitochondria, 151

ALLEN, EMMA G. See GIRARDI, ALLEN, and SIGEL, 233

ARBESMAN, CARL E. See NETER, BERTRAM, ZAK, MURDOCK, and ARBESMAN, 1

ASHE, ROSEMARY K. See RATNOFF, 319

AXELROD, VELMA H. See RATNOFF, 319

BARCLAY, RALPH K. See JACQUEZ, BARCLAY, and STOCK, 499

BAXTER, JAMES H. Protection against fatal renal injury due to choline deficiency by renal decapsulation, 401

BERTRAM, LEE F. See NETER, BERTRAM, ZAK, MURDOCK, and ARBESMAN, 1

BEVANS, MARGARET. See PLOUGH, PATEK, and BEVANS, 221

BIGGS, MAX W. See BYERS, ROSENMAN, FRIEDMAN, and BIGGS, 513

BYERS, SANFORD O., ROSENMAN, RAY H., FRIEDMAN, MEYER, and BIGGS, MAX W. Rate of cholesterol synthesis in hypo- and hyperthyroid rats, 513

CALVIN, LYLE D. See COOK, RAY, DAVISSON, FELDSTEIN, CALVIN, and GREEN, 27

CASALS, JORDI, OLITSKY, PETER K., and SABIN, ALBERT B. Development, persistence, and significance of Type 2, poliomyelitis complement-fixing antibody in man, 35

—, —, and —. Homotypic complement-fixing antibody in monkeys infected with Type 2 poliomyelitis virus by the oral route, 55

CLARKE, DELPHINE H. The use of phosphorus 32 in studies on *Plasmodium gallinaceum*. I. The development of a method for the quantitative determination of parasite growth and development *in vitro*, 439

—. II. Studies on conditions affecting parasite growth in intact cells and in lysates, 451

COOK, DONALD L., RAY, ROGER, DAVISSON, EDWIN, FELDSTEIN, LOIS M., CALVIN, LYLE D., and GREEN, D. M. The effects of cholesterol dosage, cortisone, and DCA on total serum cholesterol, lipoproteins, and atherosclerosis in the rabbit, 27

DALLDORF, GILBERT, and GIFFORD, REBECCA. Adaptation of Group B Coxsackie virus to adult mouse pancreas, 491

DANIELS, JOAN B., PAPPENHEIMER, ALWIN M., and RICHARDSON, SHEILA. Observations on encephalomyelitis of mice (DA strain), 517

DAVISSON, EDWIN. See COOK, RAY, DAVISSON, FELDSTEIN, CALVIN, and GREEN, 27

DEICHMILLER, MARIA. See DIXON, TALMAGE, MAURER, and DEICHMILLER, 313

DE ROBERTIS, E. See EPSTEIN, REISSIG, and DE ROBERTIS, 347

DIXON, FRANK J., TALMAGE, DAVID W., MAURER, PAUL H., and DEICHMILLER, MARIA. The half-life of homologous gamma globulin (antibody) in several species, 313

EPSTEIN, B., REISSIG, MAGDALENA, and DE ROBERTIS, E. Studies by electron microscopy of thin sections of infectious myxomatosis in rabbits, 347

FELDSTEIN, LOIS M. See COOK, RAY, DAVISSON, FELDSTEIN, CALVIN, and GREEN, 27
FINCH, CLEMENT A. See HEGSTED, FINCH, and KINNEY, 115
FRIEDMAN, MEYER. See BYERS, ROSENMAN, FRIEDMAN, and BIGGS, 513

GIFFORD, REBECCA. See DALLDORF and GIFFORD, 491
GIRARDI, ANTHONY J., ALLEN, EMMA G., and SIGEL, M. MICHAEL. Studies on the psittacosis-lymphogranuloma group. II. A non-infectious phase in virus development following adsorption to host tissue, 233
GOEBEL, WALTHER F., and JESAITIS, MARGERIS A. The somatic antigen of a phage-resistant variant of phase II *Shigella sonnei*, 425
—. See JESAITIS and GOEBEL, 409
GOLDBLUM, NATAN, and MELNICK, JOSEPH L. Complement-fixing antibodies to Type 2 (Lansing) poliomyelitis virus in a normal population of a subtropical area, 175
GOOD, ROBERT A., and THOMAS, LEWIS. Studies on the generalized Shwartzman reaction. II. The production of bilateral cortical necrosis of the kidneys by a single injection of bacterial toxin in rabbits previously treated with thorotrast or trypan blue, 625
—. See THOMAS and GOOD, 605
GOODMAN, HOWARD C. See SELLERS, SMITH, MARMORSTON, and GOODMAN, 643
GOSNEY, ROBERT L., JR. See MURPHY, 581
GREEN, D. M. See COOK, RAY, DAVISSON, FELDSTEIN, CALVIN, and GREEN, 27

HEFFERNAN, JOHN F. See KNOWLTON, LOEB, STOERK, WHITE, and HEFFERNAN, 187
HEGSTED, D. MARK, FINCH, CLEMENT A., and KINNEY, THOMAS D. The influence of diet on iron absorption. III. Comparative studies with rats, mice, guinea pigs, and chickens, 115
HIRST, GEORGE K. Strain-specific elements in influenza antigens, 589
HORSFALL, FRANK L., JR. See MOGABGAB and HORSFALL, 531
HUEBNER, ROBERT J. See PEERS, RANSOM, and HUEBNER, 17

JACQUEZ, JOHN A., BARCLAY, RALPH K., and STOCK, C. CHESTER. Transamination in the metabolism of β-2-thienyl-DL-alanine in normal and neoplastic cells *in vitro*, 499
JESAITIS, MARGERIS A., and GOEBEL, WALTHER F. The chemical and antiviral properties of the somatic antigen of phase II *Shigella sonnei*, 409
—. See GOEBEL and JESAITIS, 425

KIDD, JOHN G. See ROUS, KIDD, and SMITH, 159
KINNEY, THOMAS D. See HEGSTED, FINCH, and KINNEY, 115
KLEIN, SAMUEL H. See PENNER and KLEIN, 59
KNOWLTON, ABBIE I., LOEB, EMILY N., STOERK, HERBERT C., WHITE, JOSEPH P., and HEFFERNAN, JOHN F. Induction of arterial hypertension in normal and adrenalectomized rats given cortisone acetate, 187
KURTZ, HILDA. See ACKERMANN and KURTZ, 151

LANCEFIELD, REBECCA C., and PERLMANN, GERTRUDE E. Preparation and properties of a protein (R antigen) occurring in streptococci of Group A, Type 28 and in certain streptococci of other serological groups, 83
— and —. Preparation and properties of type-specific M antigen isolated

from a Group A, Type 1 hemolytic streptococcus, 71
LEAHY, ROBERT H., and MORGAN, HERBERT R. The inhibition by cortisone of the cytotoxic activity of PPD on tuberculin-hypersensitive cells in tissue culture, 549
LOEB, EMILY N. See KNOWLTON, LOEB, STOERK, WHITE, and HEFFERNAN, 187
LUCAS, F. V. See YUILE, O'DEA, LUCAS, and WHIPPLE, 247

MARMORSTON, JESSIE. See SELLERS, SMITH, MARMORSTON, and GOODMAN, 643
MAURER, PAUL H. See DIXON, TALMAGE, MAURER, and DEICHMILLER, 313
MCCARTY, MACLYN. The lysis of group A hemolytic streptococci by extracellular enzymes of *Streptomyces albus*. I. Production and fractionation of the lytic enzymes, 555
—. II. Nature of the cellular substrate attacked by the lytic enzymes, 569
MELNICK, JOSEPH L., and PENNER, LAWRENCE R. The survival of poliomyelitis and Coxsackie viruses following their ingestion by flies, 255
—. See GOLDBLUM and MELNICK, 175
—. See PENNER and MELNICK, 273
MOGABGAB, WILLIAM J., and HORSFALL, FRANK L., JR. Effect of sodium monofluoroacetate on the multiplication of influenza viruses, mumps virus, and pneumonia virus of mice (PVM), 531
MOORE, VICTOR. See SWANN, PRINE, MOORE, and RICE, 281
MORGAN, HERBERT R. See LEAHY and MORGAN, 549
MORRIONE, THOMAS G. The formation of collagen fibers by the action of heparin on soluble collagen: an electron microscope study, 107
MURDOCK, MIRIAM R. See NETER, BERTRAM, ZAK, MURDOCK, and ARBESMAN, 1
MURPHY, JAMES S. Mutants of a bacteriophage of *Bacillus megatherium*, 581

NELSON, JOHN B. Acute hepatitis associated with mouse leucemia. I. Pathological features and transmission of the disease, 293
—. II. Etiology and host range of the causal agent in mice, 303
NETER, ERWIN, BERTRAM, LEE F., ZAK, DOROTHY A., MURDOCK, MIRIAM R., and ARBESMAN, CARL E. Studies on hemagglutination and hemolysis by *Escherichia coli* antisera, 1

O'DEA, A. E. See YUILE, O'DEA, LUCAS, and WHIPPLE, 247
OLITSKY, PETER K. See CASALS, OLITSKY, and SABIN, 35, 55

PAPPENHEIMER, ALWIN M. See DANIELS, PAPPENHEIMER, and RICHARDSON, 517
PARDEE, ARTHUR B. See SCHWERDT and PARDEE, 121
PATEK, ARTHUR J., JR. See PLOUGH, PATEK, and BEVANS, 221
PEERS, JAMES H., RANSOM, SARA E., and HUEBNER, ROBERT J. The pathologic changes produced in chick embryos by yolk sac inoculation of Group A Coxsackie virus, 17
PENNER, ABRAHAM, and KLEIN, SAMUEL H. The pathogenesis of experimental dysentery intoxication. Production of the lesions by cerebral circulation of the toxin, 59
PENNER, LAWRENCE R., and MELNICK, JOSEPH L. Methods for following the fate of infectious agents fed to single flies, 273
—. See MELNICK and PENNER, 255
PERLMANN, GERTRUDE E. See LANCEFIELD and PERLMANN, 71, 83
PLOUGH, IRVIN C., PATEK, ARTHUR J., JR., and BEVANS, MARGARET. The relative effects of protein,

choline, and methionine in the treatment of experimental dietary cirrhosis in the rat, 221
PRINE, J. M. See SWANN, PRINE, MOORE, and RICE, 281

RANSOM, SARA E. See PEERS, RANSOM, and HUEBNER, 17
RATNOFF, OSCAR D. Studies on a proteolytic enzyme in human plasma. VIII. The effect of calcium and strontium ions on the activation of the plasma proteolytic enzyme, 319
RAY, ROGER. See COOK, RAY, DAVISSON, FELDSTEIN, CALVIN, and GREEN, 27
REISSIG, MAGDALENA. See EPSTEIN, REISSIG, and DE ROBERTIS, 347
RICE, R. D. See SWANN, PRINE, MOORE, and RICE, 281
RICHARDSON, SHEILA. See DANIELS, PAPPENHEIMER, and RICHARDSON, 517
RICHTER, GOETZ W. Experimental hyperglobulinemia. The effect of injected ribonucleotide on serum globulin levels in rabbits undergoing immunization, 331
ROSENMAN, RAY H. See BYERS, ROSENMAN, FRIEDMAN, and BIGGS, 513
ROUS, PEYTON, KIDD, JOHN G., and SMITH, WILLIAM E. Experiments on the cause of the rabbit carcinomas derived from virus-induced papillomas. II. Loss by the Vx2 carcinoma of the power to immunize hosts against the papilloma virus, 159

SABIN, ALBERT B. Transitory appearance of Type 2 neutralizing antibody in patients infected with Type 1 poliomyelitis virus, 99
—. See CASALS, OLITSKY, and SABIN, 35, 55
—. See WINSSER and SABIN, 477
SCHAEFER, WERNER B. Growth requirements of dysgonic and eugonic strains of *Mycobacterium tuberculosis* var. *bovis*, 207
SCHERER, WILLIAM F., and SYVERTON, JEROME T. Studies on the propagation *in vitro* of poliomyelitis viruses. II. A description of the growth curve and its relation to the cytopathogenicity of poliomyelitis virus, 369
— and —. III. The propagation of poliomyelitis viruses in tissue cultures devoid of nerve cells, 389
—. See SYVERTON and SCHERER, 355
SCHWERDT, CARLTON E., and PARDEE, ARTHUR B. The intracellular distribution of Lansing poliomyelitis virus in the central nervous system of infected cotton rats, 121
SELLERS, ALVIN L., SMITH, STEPHEN, 3RD, MARMORSTON, JESSIE, and GOODMAN, HOWARD C. Studies on the mechanism of experimental proteinuria, 643
SIGEL, M. MICHAEL. See GIRARDI, ALLEN, and SIGEL, 233
SMITH, STEPHEN, 3RD. See SELLERS, SMITH, MARMORSTON, and GOODMAN, 643
SMITH, WILLIAM E. See ROUS, KIDD, and SMITH, 159
STOCK, C. CHESTER. See JACQUEZ, BARCLAY, and STOCK, 499
STOERK, HERBERT C. See KNOWLTON, LOEB, , STOERK, WHITE, and HEFFERNAN, 187
SUTER, EMANUEL. The multiplication of tubercle bacilli within normal phagocytes in tissue culture, 137
SWANN, H. G., PRINE, J. M., MOORE, VICTOR, and RICE, R. D. The intrarenal pressure during experimental renal hypertension, 281
SYVERTON, JEROME T., and SCHERER, WILLIAM F. Studies on the propagation *in vitro* of poliomyelitis viruses. I. Viral multiplication in tissue cultures employing monkey and human testicular cells, 355
—. See SCHERER and SYVERTON, 369, 389

TALMAGE, DAVID W. See DIXON, TALMAGE, MAURER, and DEICHMILLER, 313
THOMAS, LEWIS, and GOOD, ROBERT A. Studies on the generalized Shwartzman reaction. I. General observations concerning the phenomenon, 605
—. See GOOD and THOMAS, 625
TRAGER, WILLIAM. Studies on the extracellular cultivation of an intracellular parasite (avian malaria). II. The effects of malate and of coenzyme A concentrates, 465

WATSON, BARBARA K. Fate of mumps virus in the embryonated egg as determined by specific staining with fluorescein-labelled immune serum, 653
WHIPPLE, G. H. See YUILE, O'DEA, LUCAS, and WHIPPLE, 247
WHITE, JOSEPH P. See KNOWLTON, LOEB, STOERK, WHITE, and HEFFERNAN, 187
WINSSER, JOHAN, and SABIN, ALBERT B. Levels of homotypic neutralizing antibody in human poliomyelitis three years after infection, 477

YUILE, C. L., O'DEA, A. E., LUCAS, F. V., and WHIPPLE, G. H. Plasma protein labelled with lysine-ε-C^{14}. Its oral feeding and related protein metabolism in the dog, 247

ZAK, DOROTHY A. See NETER, BERTRAM, ZAK, MURDOCK, and ARBESMAN, 1

INDEX TO SUBJECTS

ABSORPTION, iron, influence of diet on, 115
Acetate, cortisone, arterial hypertension in normal and adrenalectomized rats given, 187
—, desoxycorticosterone, and cholesterol dosage, effects on total serum cholesterol, lipoproteins, and atherosclerosis in rabbit, 27
—, monofluoro-, sodium, effect on multiplication of influenza viruses, mumps virus, and pneumonia virus of mice, 531
Adrenalectomized and normal rats given cortisone acetate, arterial hypertension in, 187
Adsorption to host tissue, noninfectious phase in virus development following, lymphogranuloma-psittacosis group, 233
Alanine, β-2-thienyl-DL-, in normal and neoplastic cells *in vitro*, transamination in metabolism of, 499
Antibodies, complement-fixing, to Type 2 Lansing poliomyelitis virus in normal population of subtropical area, 175
Antibody, homologous gamma globulin, half-life in several species, 313
—, homotypic complement-fixing, in monkeys infected with Type 2 poliomyelitis virus by oral route, 55
— in man, complement-fixing, Type 2 poliomyelitis, development, persistence, and significance, 35
—, neutralizing homotypic, in human poliomyelitis three years after infection, 477
—, Type 2 neutralizing, transitory appearance in patients infected with Type 1 poliomyelitis virus, 99
Antigen, M, type-specific, isolated from Group A, Type 1 hemolytic streptococcus, preparation and properties, 71
—, R, occurring in streptococci of Group A, Type 28, and streptococci of other serological groups, preparation and properties of, 83
—, somatic, of phage-resistant variant of phase II *Shigella sonnei*, 425
—, somatic, of phase II *Shigella sonnei*, chemical and antiviral properties of, 409
Antigens, influenza, strain-specific elements in, 589
Antisera, *Escherichia coli*, hemagglutination and hemolysis by, 1
Antiviral and chemical properties of somatic antigen of phase II *Shigella sonnei*, 409
Arterial hypertension in normal and adrenalectomized rats given cortisone acetate, 187
Atherosclerosis, serum cholesterol, and lipoproteins in rabbit, effects of cholesterol dosage, cortisone, and desoxycorticosterone acetate on, 27
Avian malaria intracellular parasite, extracellular cultivation of, effects of malate and of coenzyme A concentrates, 465

BACILLI, tubercle, multiplication within normal phagocytes in tissue culture, 137
Bacillus megatherium, mutants of a bacteriophage of, 581
Bacterial toxin, single injection in rabbits treated with thorotrast or

trypan blue, production of bilateral cortical necrosis of kidney by, in studies on Shwartzman reaction, 625
Bacteriophage of *Bacillus megatherium*, mutants of, 581
Bacteriophage-resistant variant of phase II *Shigella sonnei*, somatic antigen of, 425

CALCIUM and strontium ions, effect on activation of plasma proteolytic enzyme in man, 319
Carbon, radioactive lysine-ε-, plasma protein labelled with, and oral feeding and protein metabolism, 247
Carcinomas, rabbit, Vx2, from virus-induced papillomas, loss of power to immunize hosts against papilloma virus, 159
Cell, extracellular enzymes of *Streptomyces albus*, lysis of Group A hemolytic streptococci by, nature of cellular substrate attacked by lytic enzymes, 569
—, extracellular enzymes of *Streptomyces albus*, lysis of Group A hemolytic streptococci by, production and fractionation of lytic enzymes, 555
—, intracellular distribution of Lansing poliomyelitis virus in central nervous system, 121
— mitochondria, host, relation of herpes virus to, 151
Cells, extracellular cultivation of intracellular parasite, avian malaria, effects of malate and of coenzyme A concentrates, 465
— *in vitro*, normal and neoplastic, transamination in metabolism of β-2-thienyl-DL-alanine in, 499
—, intact, and lysates, conditions affecting parasite growth in, studies with use of phosphorus 32 and *Plasmodium gallinaceum*, 451
—, monkey and human testicular, viral multiplication in tissue cultures employing, in propagation *in vitro* of poliomyelitis viruses, 355
Cells, nerve, propagation *in vitro*, poliomyelitis viruses in tissue cultures devoid of, 389
—, tuberculin-hypersensitive, in tissue culture, inhibition by cortisone of cytotoxic activity of purified protein derivative on, 549
Cerebral circulation of toxin, production of lesions by, in pathogenesis of dysentery intoxication, 59
Chemical and antiviral properties of somatic antigen of phase II *Shigella sonnei*, 409
Cholesterol dosage, cortisone, and desoxycorticosterone acetate, effects on total serum cholesterol, lipoproteins, and atherosclerosis in rabbit, 27
—, serum, lipoproteins, and atherosclerosis in rabbit, effects of cholesterol dosage, cortisone, and desoxycorticosterone acetate on, 27
— synthesis in hypo- and hyperthyroid rats, 513
Choline deficiency, fatal renal injury due to, protection by renal decapsulation, 401
—, methionine, and protein in treatment of dietary cirrhosis, 221
Circulation, cerebral, of toxin, production of lesions by, in pathogenesis of dysentery intoxication, 59
Cirrhosis, dietary, protein, choline, and methionine in treatment of, 221
Coenzyme A concentrates and malate, effects in extracellular cultivation of intracellular parasite, avian malaria, 465
Collagen fibers, formation by action of heparin on soluble collagen, electron microscope study, 107
Complement-fixing antibodies to Type 2 Lansing poliomyelitis virus in normal population of subtropical area, 175
— antibody, homotypic, in monkeys infected with Type 2 poliomyelitis virus by oral route, 55
— antibody in man, poliomyelitis,

Type 2, development, persistence, and significance, 35
Cortical necrosis, bilateral, of kidneys, production by single injection of bacterial toxin in rabbits treated with thorotrast or trypan blue, in studies on Shwartzman reaction, 625
Corticosterone, desoxy-, acetate, cholesterol dosage, and cortisone, effects on total serum cholesterol, lipoproteins, and atherosclerosis in rabbit, 27
Cortisone acetate, arterial hypertension in normal and adrenalectomized rats given, 187
—, desoxycorticosterone acetate, and cholesterol dosage, effects on total serum cholesterol, lipoproteins, and atherosclerosis in rabbit, 27
— inhibition of cytotoxic activity of purified protein derivative on tuberculin-hypersensitive cells in tissue culture, 549
Coxsackie and poliomyelitis viruses, survival following ingestion by flies, 255
— virus, Group A, pathologic changes produced in chick embryos by yolk sac inoculation of, 17
— virus, Group B, adaptation to adult mouse pancreas, 491
Cultivation, extracellular, of an intracellular parasite, avian malaria, effect of malate and of coenzyme A concentrates, 465
— *in vitro* of poliomyelitis viruses, relation of growth curve to cytopathogenicity, 369
—, tissue, devoid of nerve cells, propagation *in vitro* of poliomyelitis viruses in, 389
—, tissue, employing monkey and human testicular cells, viral multiplication in, in propagation *in vitro* of poliomyelitis viruses, 355
—, tissue, inhibition by cortisone of cytotoxic activity of purified protein derivative on tuberculin-hypersensitive cells in, 549
—, tissue, multiplication of tubercle bacilli within normal phagocytes in, 137
Cytopathogenicity of poliomyelitis virus, relation of growth curve to, in propagation *in vitro*, 369
Cytotoxic activity of purified protein derivative on tuberculin-hypersensitive cells in tissue culture, inhibition by cortisone, 549

DECAPSULATION, renal, as protection against fatal renal injury due to choline deficiency, 401
Deficiency, choline, fatal renal injury due to, protection by renal decapsulation, 401
Desoxycorticosterone acetate, cholesterol dosage, and cortisone, effects on total serum cholesterol, lipoproteins, and atherosclerosis in rabbit, 27
Diet, influence on iron absorption, 115
Dietary cirrhosis, protein, choline, and methionine in treatment of, 221
Disease, acute hepatitis associated with leucemia, pathological features and transmission of, 293
Dysentery intoxication, pathogenesis with production of lesions by cerebral circulation of toxin, 59

ELECTRON microscope study of formation of collagen fibers by action of heparin on soluble collagen, 107
— microscopy studies on thin sections of infectious myxomatosis, 347
Embryonated egg, fate of mumps virus determined by specific staining with fluorescein-labelled immune serum, 653
Embryos, chick, pathologic changes produced by yolk sac inoculation of Group A Coxsackie virus, 17
Encephalomyelitis of mice (DA strain), 517
Enzyme, co-, A, concentrates and malate, effects in extracellular cul-

tivation of intracellular parasite, avian malaria, 465
Enzyme, plasma proteolytic, in man, effect of calcium and strontium ions on activation of, 319
Enzymes, extracellular, of *Streptomyces albus*, lysis of Group A hemolytic streptococci by, nature of cellular substrate attacked by lytic enzymes, 569
—, extracellular, of *Streptomyces albus*, lysis of Group A hemolytic streptococci by, production and fractionation of lytic enzymes, 555
Escherichia coli antisera, hemagglutination and hemolysis by, 1
Etiology and host range of causal agent, in acute hepatitis associated with leucemia, 303

FIBERS, collagen, formation by action of heparin on soluble collagen, electron microscope study, 107
Fixation. *See* Complement.
Flies, methods for following fate of infectious agents fed to single, 273
—, survival of poliomyelitis and Coxsackie viruses following ingestion by, 255
Fluorescein-labelled immune serum, specific staining with, in determination of fate of mumps virus in embryonated egg, 653
Fluoroacetate, mono-, sodium, effect on multiplication of influenza viruses, mumps virus, and pneumonia virus of mice, 531

GLOBULIN, homologous gamma, antibody, half-life in several species, 313
— levels, serum, during immunization, effect of injected ribonucleotide on, in hyperglobulinemia, 331

HALF-LIFE of homologous gamma globulin antibody in several species, 313
Hemagglutination and hemolysis by *Escherichia coli* antisera, 1
Hemolysis and hemagglutination by *Escherichia coli* antisera, 1
Hemolytic streptococci, Group A, lysis by extracellular enzymes of *Streptomyces albus*, nature of cellular substrate attacked by lytic enzymes, 569
— streptococci, Group A, lysis by extracellular enzymes of *Streptomyces albus*, production and fractionation of lytic enzymes, 555
— streptococcus, Group A, Type 1, preparation and properties of type-specific M antigen isolated from, 71
Heparin, action on soluble collagen in formation of collagen fibers, electron microscope study, 107
Hepatitis, acute, associated with leucemia, etiology and host range of causal agent, 303
—, acute, associated with leucemia, pathological features and transmission, 293
Herpes virus, relation to host cell mitochondria, 151
Homologous gamma globulin, antibody, half-life in several species, 313
Host cell mitochondria, relation of herpes virus to, 151
— range and etiology of causal agent, in acute hepatitis associated with leucemia, 303
— tissue, non-infectious phase in virus development following adsorption to, psittacosis-lymphogranuloma group, 233
Hyperglobulinemia and effect of injected ribonucleotide on serum globulin levels during immunization, 331
Hypersensitive, tuberculin-, cells in tissue culture, inhibition by cortisone of cytotoxic activity of purified protein derivative on, 549
Hypertension, arterial, in normal and adrenalectomized rats given cortisone acetate, 187
—, kidney and intrarenal pressure during, 281

Hyperthyroid and hypothyroid rats, cholesterol synthesis in, 513
Hypothyroid and hyperthyroid rats, cholesterol synthesis in, 513

IMMUNE serum fluorescein-labelled specific staining with, in determination of fate of mumps virus in embryonated egg, 653
Immunization of hosts against papilloma virus, loss by Vx2 rabbit carcinomas of power of, 159
—, serum globulin levels during, effect of injected ribonucleotide on, in hyperglobulinemia, 331
Infectious agents fed to single flies, methods for following fate of, 273
Influenza antigens, strain-specific elements in, 589
— viruses, mumps virus, and pneumonia virus of mice, effect of sodium monofluoroacetate on multiplication of, 531
Injection of ribonucleotide, effect on serum globulin levels during immunization, in hyperglobulinemia, 331
—, single, of bacterial toxin in rabbits treated with thorotrast or trypan blue, production of bilateral cortical necrosis of kidneys by, in studies on Shwartzman reaction, 625
Inoculation, yolk sac, of Group A Coxsackie virus, pathologic changes produced in chick embryos by, 17
Intoxication, dysentery, pathogenesis, with production of lesions by cerebral circulation of toxin, 59
Ions, strontium and calcium, effect on activation of plasma proteolytic enzyme in man, 319
Iron absorption, influence of diet on, 115

KIDNEY, fatal injury due to choline deficiency, protection by renal decapsulation, 401
—, pressure within, during renal hypertension, 281
Kidneys, bilateral cortical necrosis of, production by single injection of bacterial toxin in rabbits treated with thorotrast or trypan blue, in studies on Shwartzman reaction, 625

LESIONS, produced by cerebral circulation of toxin in pathogenesis of dysentery intoxication, 59
Leucemia, acute, hepatitis associated with, etiology and host range of causal agent, 303
—, pathological features and transmission of acute hepatitis associated with, 293
Lipoproteins, serum cholesterol, and atherosclerosis in rabbit, effects of cholesterol dosage, cortisone, and desoxycorticosterone acetate on, 27
Lymphogranuloma-psittacosis group, non-infectious phase in virus development following adsorption to host tissue, 233
Lysates and intact cells, conditions affecting parasite growth in, studies with use of phosphorus 32 and *Plasmodium gallinaceum*, 451
Lysine-ϵ-C^{14}, plasma protein labelled with, and oral feeding and protein metabolism, 247
Lysis of Group A hemolytic streptococci by extracellular enzymes of *Streptomyces albus*, nature of cellular substrate attacked by lytic enzymes, 569
— of Group A hemolytic streptococci by extracellular enzymes of *Streptomyces albus*, production and fractionation of lytic enzymes, 555

MALARIA, avian, intracellular parasite, extracellular cultivation of, effects of malate and of coenzyme A concentrates, 465
Malate and coenzyme A concentrates, effects in extracellular cultivation

of intracellular parasite, avian malaria, 465
Man, homotypic neutralizing antibody in poliomyelitis in, three years after infection, 477
— and monkey testicular cells, viral multiplication in tissue cultures employing, in propagation *in vitro* of poliomyelitis viruses, 355
—, proteolytic enzyme in plasma of, effect of calcium and strontium ions on activation, 319
—, Type 2 poliomyelitis complement-fixing antibody in, development, persistence, and significance, 35
Metabolism of β-2-thienyl-DL-alanine in normal and neoplastic cells *in vitro*, transamination of, 499
—, protein, and oral feeding with plasma protein labelled with lysine-ε-C^{14}, 247
Methionine, protein, and choline in treatment of dietary cirrhosis, 221
Microscope study, electron, of formation of collagen fibers by action of heparin on soluble collagen, 107
Microscopy, electron, studies of thin sections of infectious myxomatosis, 347
Mitochondria, host cell, relation of herpes virus to, 151
Mouth feeding and protein metabolism, with plasma protein labelled with lysine-ε-C^{14}, 247
—, homotypic complement-fixing antibody in monkeys infected with Type 2 poliomyelitis virus by, 55
Mumps virus, fate in embryonated egg as determined by specific staining with fluorescein-labelled immune serum, 653
— virus, pneumonia virus of mice, and influenza viruses, effect of sodium mono-fluoroacetate on multiplication of, 531
Mutants of bacteriophage of *Bacillus megatherium*, 581
Mycobacterium tuberculosis var. *bovis*, growth requirements of dysgonic and eugonic strains, 207
Myxomatosis, infectious, studies by electron microscopy of thin sections of, 347

NECROSIS, bilateral cortical, of kidneys, production by single injection of bacterial toxin in rabbits treated with thorotrast or trypan blue, in studies on Shwartzman reaction, 625
Neoplastic and normal cells *in vitro*, transamination in metabolism of β-2-thienyl-DL-alanine in, 499
Nerve cells, propagation *in vitro* of poliomyelitis viruses in tissue cultures devoid of, 389
Nervous system, central, intracellular distribution of Lansing poliomyelitis virus in, 121
Neutralizing antibody, Type 2, transitory appearance in patients infected with Type 1 poliomyelitis virus, 99
— homotypic antibody in human poliomyelitis three years after infection, 477
Nucleotide, ribo-, injected, effect on serum globulin levels during immunization, in hyperglobulinemia, 331

PANCREAS, adult mouse, adaptation of Group B Coxsackie virus to, 491
Papillomas, virus-induced, rabbit Vx2 carcinomas derived from, loss of power to immunize hosts against papilloma virus, 159
Parasite, avian malaria, intracellular, extracellular cultivation of, effects of malate and of coenzyme A concentrates, 465
— growth and development *in vitro*, method for quantitative determination of, in studies on *Plasmodium gallinaceum* using phosphorus 32, 439
— growth in intact cells and in

lysates, studies with use of phosphorus 32 and *Plasmodium gallinaceum*, 451
Pathogenesis of dysentery intoxication with production of lesions by cerebral circulation of toxin, 59
Pathologic changes produced in chick embryos by yolk sac inoculation of Group A Coxsackie virus, 17
Pathological features and transmission of acute hepatitis associated with leucemia, 293
Phage. *See* Bacteriophage.
Phagocytes, normal, in tissue culture, multiplication of tubercle bacilli within, 137
Phosphorus 32 in studies on *Plasmodium gallinaceum*, conditions affecting parasite growth in intact cells and in lysates, 451
— 32 in studies on *Plasmodium gallinaceum*, method for quantitative determination of parasite growth and development *in vitro*, 439
Plasma protein labelled with lysine-ε-C^{14} and its oral feeding and protein metabolism, 247
— proteolytic enzyme in man, effect of calcium and strontium ions on activation of, 319
Plasmodium gallinaceum, phosphorus 32 in studies on, conditions affecting parasite growth in intact cells and in lysates, 451
— *gallinaceum*, phosphorus 32 in studies on, method for quantitative determination of parasite growth and development *in vitro*, 439
Pneumonia virus of mice, influenza viruses, and mumps virus, effect of sodium monofluoroacetate on multiplication of, 531
Poliomyelitis and Coxsackie viruses, survival following ingestion by flies, 255
—, human, homotypic neutralizing antibody in, three years after infection, 477
—, Type 2, complement-fixing antibody in man, development, persistence, and significance, 35
Poliomyelitis virus, Lansing, intracellular distribution in central nervous system, 121
— virus, Type 1, transitory appearance of Type 2 neutralizing antibody in patients infected with, 99
— virus, Type 2, homotypic complement-fixing antibody in monkeys infected by oral route with, 55
— virus, Type 2 Lansing, in normal population of subtropical area, complement-fixing antibodies to, 175
— viruses, propagation *in vitro* in tissue cultures devoid of nerve cells, 389
— viruses, propagation *in vitro*, multiplication in tissue cultures employing monkey and human testicular cells, 355
— viruses, propagation *in vitro*, relation of growth curve to cytopathogenicity, 369
Protein, choline, and methionine in treatment of dietary cirrhosis, 221
— metabolism and oral feeding with plasma protein labelled with lysine-ε-C^{14}, 247
—, plasma, labelled with lysine-ε-C^{14} and its oral feeding and protein metabolism, 247
—, purified derivative, cytotoxic activity on tuberculin-hypersensitive cells in tissue culture, inhibition by cortisone, 549
—, R antigen, occurring in streptococci of Group A, Type 28, and streptococci of other serological groups, preparation and properties of, 83
Proteins, lipo-, serum cholesterol, and atherosclerosis in rabbit, effects of cholesterol dosage, cortisone, and desoxycorticosterone acetate on, 27
Proteinuria, mechanism of, 643
Proteolytic enzyme in man, plasma,

effect of calcium and strontium ions on activation of, 319
Psittacosis-lymphogranuloma group, non-infectious phase in virus development following adsorption to host tissue, 233

RADIOACTIVE carbon-ε-lysine, plasma protein labelled with, and oral feeding and protein metabolism, 247
— fluorescein immune serum, specific stain in determination of fate of mumps virus in embryonated egg, 653
— phosphorus in studies on *Plasmodium gallinaceum*, conditions affecting parasite growth in intact cells and in lysates, 451
— phosphorus in studies on *Plasmodium gallinaceum*, method for quantitative determination of parasite growth and development *in vitro*, 439
Reaction, generalized Shwartzman, studies, 605, 625
Renal. *See* Kidney.
Resistance of variant of phase II *Shigella sonnei* to phage, somatic antigen of, 425
Ribonucleotide, injected, effect on serum globulin levels during immunization, in hyperglobulinemia, 331

SEROLOGICAL groups, preparation and properties of R antigen occurring in streptococci of Group A, Type 28, and in streptococci of other, 83
Serum cholesterol, lipoproteins, and atherosclerosis in rabbit, effects of cholesterol dosage, cortisone, and desoxycorticosterone acetate on, 27
—, fluorescein-labelled immune, specific staining with, in determination of fate of mumps virus in embryonated egg, 653
— globulin levels during immunization, effect of injected ribonucleotide on, in hyperglobulinemia, 331
Shigella sonnei, chemical and antiviral properties of somatic antigen of phase II, 409
— *sonnei*, phage-resistant variant of phase II, somatic antigen of, 425
Shwartzman reaction, generalized, studies, 605, 625
Sodium monofluoroacetate, effect on multiplication of influenza viruses, mumps virus, and pneumonia virus of mice, 531
Specific, strain-, elements in influenza antigens, 589
—, type-, M antigen isolated from Group A, Type 1 hemolytic streptococcus, preparation and properties, 71
Staining with fluorescein-labelled immune serum, determination of fate of mumps virus in embryonated egg by, 653
Sterone, desoxycortico-, acetate, cholesterol dosage, and cortisone, effects on total serum cholesterol, lipoproteins, and atherosclerosis in rabbit, 27
Streptococci, Group A hemolytic, lysis by extracellular enzymes of *Streptomyces albus*, nature of cellular substrate attacked by lytic enzymes, 569
—, Group A hemolytic, lysis by extracellular enzymes of *Streptomyces albus*, production and fractionation of lytic enzymes, 555
—, Group A, Type 28, and streptococci of other serological groups, preparation and properties of R antigen occurring in, 83
Streptococcus, hemolytic, Group A, Type 1, preparation and properties of type-specific M antigen isolated from, 71
Streptomyces albus, lysis of Group A hemolytic streptococci by, extracellular enzymes of, production and fractionation of lytic enzymes, 555

Streptomyces albus, lysis of Group A hemolytic streptococci by extracellular enzymes of, nature of cellular substrate attacked by lytic enzymes, 569
Strontium and calcium ions, effect on activation of plasma proteolytic enzyme in man, 319

TESTICULAR cells, monkey and human, viral multiplication in tissue cultures employing, in propagation *in vitro* of poliomyelitis viruses, 355
Thorotrast or trypan blue, production of bilateral cortical necrosis of kidneys by single injection of bacterial toxin in rabbits treated with, in studies on Shwartzman reaction, 625
Thyroid rats, hypo- and hyper-, cholesterol synthesis in, 513
Tissue culture, inhibition by cortisone of cytotoxic activity of purified protein derivative on tuberculin-hypersensitive cells in, 549
— culture, multiplication of tubercle bacilli within normal phagocytes in, 137
— cultures devoid of nerve cells, propagation *in vitro* of poliomyelitis viruses in, 389
— cultures employing monkey and human testicular cells, viral multiplication in, in propagation *in vitro* of poliomyelitis viruses, 355
—, host, non-infectious phase in virus development following adsorption to, psittacosis-lymphogranuloma group, 233
Toxin, bacterial, single injection in rabbits treated with thorotrast or trypan blue, production of bilateral cortical necrosis of kidney by, in studies on Shwartzman reaction, 625
—, lesions produced by cerebral circulation of, in pathogenesis of dysentery intoxication, 59
Transamination in metabolism of β-2-thienyl-DL-alanine in normal and neoplastic cells *in vitro*, 499
Transmission and pathological features of acute hepatitis associated with leucemia, 293
Tropics, complement-fixing antibodies to Type 2 Lansing poliomyelitis virus in normal population of subtropical area, 175
Trypan blue or thorotrast, production of bilateral cortical necrosis of kidneys by single injection of bacterial toxin in rabbits treated with, in studies on Shwartzman reaction, 625
Tubercle bacilli, multiplication within normal phagocytes in tissue culture, 137
Tuberculin-hypersensitive cells in tissue culture, inhibition by cortisone of cytotoxic activity of purified protein derivative, 549

VIRUS, Coxsackie, Group B, adaptation to adult mouse pancreas, 491
— development, non-infectious phase following adsorption to host tissue, lymphogranuloma-psittacosis group, 233
—, Group A Coxsackie, pathologic changes produced in chick embryos by yolk sac inoculation of, 17
—, herpes, relation to host cell mitochondria, 151
—, Lansing poliomyelitis, intracellular distribution in central nervous system, 121
—, mumps, fate in embryonated egg as determined by specific staining with fluorescein-labelled immune serum, 653
—, poliomyelitis, Type 1, transitory appearance of Type 2 neutralizing antibody in patients infected with, 99
—, poliomyelitis, Type 2, homotypic

complement-fixing antibody in monkeys infected by oral route with, 55
Virus, Type 2 Lansing poliomyelitis, in normal population of subtropical area, complement-fixing antibodies to, 175
Viruses, influenza, mumps virus, and pneumonia virus of mice, effect of sodium monofluoroacetate on multiplication of, 531
—, poliomyelitis and Coxsackie, survival following ingestion by flies, 255
Viruses, poliomyelitis, propagation *in vitro* in tissue cultures devoid of nerve cells, 389
—, poliomyelitis, propagation *in vitro*, multiplication in tissue cultures employing monkey and human testicular cells, 355
—, poliomyelitis, propagation *in vitro*, relation of growth curve to cytopathogenicity, 369
Virus-induced papillomas, rabbit Vx2 carcinomas derived from, loss of power to immunize hosts against papilloma virus, 159